



# TIBUR STONE

MARBLES  
COMPACT

COLLECTION CATALOGUE

MARBLES

# Tibur

S t o n e



unicomstarker®



UNICOMSTARKER PRESENTA  
**TIBUR STONE**, LA COLLEZIONE IN  
CUI IL GRES REINTERPRETA IL MARMO  
TRAVERTINO, PORTANDO LA SUPERFICIE  
CLASSICA E SENZA TEMPO DI UN MATERIALE  
ETERNO NEL FUTURO.

LA RAFFINATA BELLEZZA, LE ELEVATE  
PRESTAZIONI E L'ICONICA ELEGANZA DEL  
MARMO IN QUATTRO COLORI:  
AVENA, CLASSICO, OPALE, SELCE.  
SOLIDITÀ, EQUILIBRIO, CONTATTO CON LA  
NATURA SIA NEGLI AMBIENTI INDOOR  
CHE OUTDOOR.

UNICOMSTARKER PRESENTS **TIBUR STONE**, THE STONEWARE  
COLLECTION THAT REINTERPRETS TRAVERTINE MARBLE,  
TAKING THE CLASSIC, TIMELESS SURFACE OF AN ETERNAL  
MATERIAL INTO THE FUTURE.

THE SOPHISTICATED BEAUTY, HIGH PERFORMANCE AND  
ICONIC ELEGANCE OF MARBLE IN FOUR COLOURS: AVENA,  
CLASSICO, OPALE, SELCE. SOLIDITY, BALANCE AND CONTACT  
WITH NATURE IN BOTH INDOOR AND OUTDOOR SPACES.


USI - USE

Interni residenziali - Residential spaces  
Bagni - Bathroom  
Locali commerciali - Commercial premises  
Spazi pubblici - Public spaces

COLORI - COLOURS



FORMATI - SIZES





#1

# AVENA



**Atmosfere ricercate,  
spazi unici ed accoglienti**

Sophisticated atmospheres,  
unique and welcoming spaces

9

UNICOMSTARKER  
MARBLES

**AVENA**

**floor**  
60x60 24"x24"



10

TIBUR STONE



**AVENA**

**floor**  
60x60 24"x24"

**wall**  
Oxyd Lava 60x120 24"x48"



**AVENA**

**floor**  
60x120 24"x48"

13

UNICOMSTARKER  
MARBLES



14

TIBUR STONE

#2

classico



ELEGANZA ICONICA  
E CONTEMPORANEA

Iconic and contemporary  
elegance



15

UNICOMSTARKER  
MARBLE



**CLASSICO**

**floor**  
60x120 24"x48"

**wall**  
30x120 12"x48"  
**Oxyd Lava** 60x120 24"x48"

16

TIBUR STONE



17

UNICOMSTARKER  
MARBLES

*Bistrot*  
EST. 1865



**CLASSICO**

**floor**  
60x60 24"x24"

**wall**  
15x60 6"x24"

18

TIBUR STONE



**CLASSICO**

**floor**  
60x60 24"x24"

**CLASSICO**

**floor**  
Wooden Birch 20x120 8"x48"

**wall**  
60x120 24"x48"

21

UNICOMSTARKER  
MARBLES



#3

opale



LA BELLEZZA RACCHIUSA  
NELLA MATERIA

Beauty enshrined  
in matter



**OPALE**  
**floor**  
 60x120 24"x48"  
 Essence Coffee 20x120 8"x48"



**OPALE**  
**floor**  
 60x120 24"x48"  
 Essence Coffee 20x120 8"x48"  
**wall**  
 60x120 24"x48"

25

UNICOMSTARKER  
MARBLES



**OPALE**

**floor**  
60x60 24"x24"

**wall**  
60x60 24"x24"  
30x60 12"x24"

26

TIBUR STONE



**OPALE**

**floor**  
60x60 24"x24"

27

UNICOMSTARKER  
MARBLES



**OPALE**

**floor**  
60x120 24"x48" GRIP

28

TIBUR STONE

**OPALE**

**floor**  
60x120 24"x48" GRIP





#4

selce



UNO STILE IMMUTABILE  
NEL TEMPO

Eternal style





**SELCE**

**wall**

Decoro Relief 30x60 12"x24"



**SELCE**

**floor**

60x120 24"x48"

**wall**

Decoro Relief 30x60 12"x24"

33

UNICOMSTARKER  
MARBLES



**SELCE**

**floor**  
60x120 24"x48"

**wall**  
60x120 24"x48"  
30x120 12"x48"

34

TIBUR STONE

**SELCE**

**floor**  
60x120 24"x48"






# TIBUR STONE



AVENA



CLASSICO



OPALE



SELCE



**SELCE**

wall  
Mosaico Hexagon 25"x34" 10"x13"

# TIBUR STONE


**MOSAICO**  
**30x30**  
12"x12"



AVENA



CLASSICO



OPALE



SELCE

**MOSAICO**  
**HEXAGON**  
**25x34**  
10"x13"



AVENA



CLASSICO



OPALE



SELCE

**DECORO RELIEF**  
**30x60**  
12"x24"



AVENA



CLASSICO




OPALE



SELCE

## TECHNICAL INFORMATION & PLUS

### FORMATI - SIZES




### DECORI - DECORS




MOSAICO

HEXAGON

RELIEF




### PEZZI SPECIALI - SPECIAL ITEMS

GRADINO  
RETTIFICATO | GRIP


30x60  
12"x24" **33**

30x60  
12"x24" **34**

ELEMENTO A L  
RETTIFICATO | GRIP

30x60x5  
12"x24"x2" **49**

30x60x5  
12"x24"x2" **50**


GRADONE COSTA RETTA  
RETTIFICATO | GRIP

30x60x4  
12"x24"x12/3" **115**

30x60x4  
12"x24"x12/3" **118**

BATTISCOPIA SMALTATO  
RETTIFICATO

7x60  
3"x24" **15**

GRADONE ANGOLARE COSTA RETTA  
RETTIFICATO | GRIP

30x30x4  
12"x12"x12/3" **118**

30x30x4  
12"x12"x12/3" **120**

## CARATTERISTICHE TECNICHE - TECHNICAL FEATURES

|  | standards                              | characteristics or properties  | declared values                              |
|--|--|--|--|
|  | ISO 10545-3                            | assorbimento d'acqua<br>water absorption                               | <0.5%  |
|  | ISO 10545-4                            | resistenza alla flessione (R)<br>breaking strength                     | 35 N/mm <sup>2</sup>                         |
|  | ISO 10545-13                           | resistenza agli acidi<br>resistance to acid                            | GLA  |
|  | ISO 10545-12                           | resistenza al gelo<br>frost resistance                                 | resiste<br>frost proof                       |
|  | ISO 10545-14                           | resistenza alle macchie<br>stain resistance                            | 4  |
|  | ISO 10545-2                            | planarità<br>surface flatness  | ±0.5%  |
|  |  | spessore<br>thickness  | 9 mm   |
|  | DIN 51097<br>DIN 51130<br>DCOF BOT3000 | coefficiente d'attrito (scivolosità)<br>static coefficient of friction | A<br>R10<br>>0.42                            |
|  | DIN 51097<br>DIN 51130<br>DCOF BOT3000 | coefficiente d'attrito (scivolosità)<br>static coefficient of friction | A+B<br>R11                                   |
|  |  | variazioni cromatiche<br>color shade                                   | V2 variazione leggera<br>V2 slight variation |
|  |  | ortogonalità<br>orthogonality  | ±0.6%  |

### IMBALLI - PACKING

| mm   inch         |                                       | spessore<br>thickness | pezzi/sc<br>pcs/box | mq/sc<br>sqm/box | kg/sc<br>kgs/box | sc/pl<br>box/pal | mq/pl<br>sqm/pal | kq/pl<br>kgs/pal |
|-------------------|---------------------------------------|-----------------------|---------------------|------------------|------------------|------------------|------------------|------------------|
| 60x120   24"x48"  | rettificato   grip                    | 9                     | 2                   | 1,44             | 28,65            | 30               | 43,20            | 859,50           |
| 30x120   12"x48"  | rettificato                           | 9                     | 3                   | 1,08             | 21,40            | 24               | 25,92            | 513,60           |
| 60x60   24"x24"   | rettificato   grip                    | 9                     | 3                   | 1,08             | 20,70            | 40               | 43,20            | 828,00           |
| 30x60   12"x24"   | rettificato                           | 9                     | 6                   | 1,08             | 19,68            | 40               | 43,20            | 787,20           |
| 15x60   6"x24"    | rettificato                           | 9                     | 12                  | 1,08             | 20,70            | 48               | 51,84            | 993,60           |
| 7,4x30   3"x12"   | rettificato                           | 9                     | 42                  | 0,93             | 17,90            | 60               | 55,80            | 1074,00          |
| 30x60   12"x24"   | decoro Relief                         | 6                     | 1,08                | 19,68            | 40               | 43,20            | 787,20           |                  |
| 30x30   12"x12"   | mosaico                               | 11                    | 0,99                | 16,80            | 36               | 35,64            | 604,80           |                  |
| 25x34   10"x13"   | hexagon                               | 6                     |                     | 9,48             |                  |                  |                  |                  |
| 7x60   2 3/4"x24" | battiscopa smalt. rett.               | 12                    |                     | 9,72             |                  |                  |                  |                  |
| 30x60   12"x24"   | gradino rett.   grip                  | 8                     |                     | 31,60            |                  |                  |                  |                  |
| 30x60   12"x24"   | gradone costa retta rett.   grip      | 4                     |                     | 19,40            |                  |                  |                  |                  |
| 30x30   12"x12"   | gradone ang. costa retta rett.   grip | 2                     |                     | 4,40             |                  |                  |                  |                  |
| 30x60   12"x24"   | elemento ad L   grip                  | 4                     |                     | 17,20            |                  |                  |                  |                  |

### FUGHE - JOINT - JOINT - FUGE

per materiale rettificato prevedere una fuga di almeno 2 mm sul monoformato e necessariamente 3 mm sul multiformato  
 por rectified material, we recommend a 2 mm grout at least when using one size only and a 3 mm grout for multisizes laying solution  
 pour le matériel rectifié prévoir un minimum de 2mm de joint et 3mm pour la pose multiformat  
 fuer rettifiziertes material-monoverlegung wollen sie bitte eine fuge von 2 mm vorsehen – fuer modulverlegung eine fuge von 3 mm



### about unicomstarker

Unicomstarker é da anni sinonimo di materia ceramica di altissima qualità.

Il gruppo industriale di cui é espressione, si contraddistingue per una filosofia che coniuga un forte dinamismo imprenditoriale alla costante ricerca della più evoluta avanguardia tecnologica e produttiva oltre che ad una particolare sensibilità estetica e formale.

Una sinergia che ha nominato unicomstarker a livello internazionale come un trendsetter nel mercato delle piastrelle di ceramica.

La sua costante attenzione alle ultime tendenze del design degli interni e l'ottimo andamento tecnico rende i suoi prodotti adatti per tutti i tipi di architetture, sia gli edifici residenziali o commerciali , sia per le disposizioni interne o esterne.

Unicomstarker has been recognized for years for the outstanding quality of its products.

The philosophy of the group, unicomstarker srl, is based on a dynamic buisness strategy combined with cutting edge technological research and a sure sense of beauty and style.

A successful synergy that has appointed unicomstarker internationally as a trendsetter in the market of ceramic tiles. Its constant attention to the latest trends in interior design and the excellent technical performance makes its products suitable for all type of architectures, either residential or commercial buildings, for interior or exterior arrangements.



UNICOMSTARKER TIBUR STONE COLLECTION  
IS A UNICOMSTARKER'S PROJECT

## CONTACTS

UNICOM SRL  
via flumendosa 7  
41042 fiorano modenese  
modena italy  
T +39 (0)536 926011  
unicomstarker.com

UNICOMSTARKER SHOWROOM  
via flumendosa 7  
41042 fiorano modenese  
modena italy  
T +39 (0)536 926011



Ceramics of Italy

Quanto contenuto nel catalogo è indicativo e non esaustivo riguardo a grafiche, decori, colori, imballi e dimensioni.

The content of this catalogue is only indicative and not exhaustive in respect of graphics, decorations, colours, packaging and sizes

Le contenu de notre catalogue concernant les decors, coloris, graphiques, emballage et dimensions est indicatif.

Was im Katalog enthalten ist, ist ein Hinweis und nicht erschöpfend in Bezug auf Grafiken, Dekorationen, Farben, Verpackung und Abmessungen.





**think  
outside  
the box**

